

# Respimat® Fact Sheet

Combivent® (ipratropium bromide and albuterol) or Spiriva® (tiotropium bromide inhalation powder) are maintenance medications for chronic obstructive pulmonary disease (COPD). Ipratropium and albuterol is indicated for COPD patients with no improvement in bronchospasm with regular use of bronchodilators. Tiotropium bromide is a maintenance medication which reduces flare-ups and the worsening of COPD symptoms.

Generic Names: Ipratropium bromide and albuterol; and Tiotropium bromide

Brand Names: Combivent® Respimat® and Spiriva® Respimat®

## **Dosage Administration and Strength**

**Combivent®** 

- One inhalation of Combivent® Respirat®: taken four times a day
- One inhalation of Combivent® Respimat®: delivers 20 mcg/100 mcg of ipratropium albuterol

### **Spiriva®**

- Two actuation of Spiriva® Respirat®: taken once daily (every 24 hours)
- One actuation of Spiriva® Respimat®: delivers 2.5 mcg of tiotropium bromide

### **Indications**

- Treatment of bronchospasm associated with COPD
- Chronic bronchitis
- Emphysema

#### **Contraindications**

- Hypersensitivity to atropine or any of its derivatives
- Patients who have hypersensitivity to tiotropium or ipratropium
- Respimat® is not a rescue medicine and should not be used for treating sudden breathing problems

#### Side Effects

- Urticaria (hives), angioedema (swelling under the skin), rash
- Bronchospasm, anaphylaxis, itching
- Urinary retention and renal impairment
- Dry mouth, sinus infection, sore throat, chest pain, indigestion, constipation, runny nose, blurred vision, increased heart rate, and upper respiratory tract infection

# **Cleaning Instructions**

• Wipe the mouthpiece with a damp cloth or paper towel at least once a week

### References

- 1. Boehringer Ingelheim Pharmaceuticals, Inc. "Respimat Official Site." 2014; Retrieved from www.US.Respimat.com.
- 2. Boehringer Ingelheim Pharmaceutical, Inc." *Combivent Respimat (ipratropium bromide and albuterol) Inhalation Spray, the power of 2*"2014; Retrieved from <a href="https://www.combivent.com">www.combivent.com</a>.



Patient Name: _		
Patient ID:_		
Evaluator Initials:_		
Date:	_/_	/

#### COMBIVENT® RESPIMAT® INHALATION TECHNIQUE CHECKLIST

<u>Trained assessor to read to participant</u>: Please show me exactly\* how you use your Combivent® Respimat® Inhaler at home. \*If using actual medicine (not placebo) the patient should mimic use (i.e. do not take repeated doses)

1. H	lolds the	Respimat	upright	with th	e orange	cap clo	sed.
------	-----------	----------	---------	---------	----------	---------	------

- 2. Turns the clear base in the direction of the white arrows on the label until it clicks (half turn).
- 3. Flips the orange cap until it snaps fully OPEN.
- 4. Breaths out slowly and fully.
- 5. When breathing out fully (step #4), does so away from Respimat.
- 6. Puts Respimat mouthpiece into mouth keeping it horizontal.
- 7. Closes lips around mouthpiece without covering the air vents.
- 8. While taking a SLOW, DEEP breath through the mouth, PRESSES the dose release button.
- 9. Continues to breathe in slowly for as long as he/she can.
- 10. Holds breath for 10 seconds or for as long as comfortable (with or without inhaler in mouth)
- 11. Removes Respimat from mouth before breathing normally.
- 12. Closes the Respimat's orange cap.

**Participant's Score:** 

Pre		Post 1		Post 2		Post 3	
Wrong	Correct	Wrong	Correct	Wrong	Correct	Wrong	Correct
$\square_0$		$\Box_0$		$\Box_0$		$\square_0$	
		$\Box_0$		$\Box_0$		$\Box_0$	
$\square_0$				$\Box_0$		$\square_0$	
						$\Box_0$	
				$\Box_0$			
				$\Box_0$			
				$\Box_0$			
				$\square_0$			
$\Box_0$		$\Box_0$		$\square_0$		$\square_0$	
$\Box_0$		$\square_0$		$\square_0$		$\square_0$	
_	_/12	/12		/12		/12	
[] N/A		[] N/A		[] N/A		[] N/A	

Score the participant's performance by assigning 1 point to each correct step and adding across the 12 steps. If score is less than 12, demonstrate to the participant appropriate technique and repeat inhaler

Comments:		
Comments		 